

*make a grand entrance*

POLLARDOR ENTRANCE SYSTEMS

High Performance Thermal Doors in Steel and Fiberglass





## CHOOSE POLARDOR

### HIGH PERFORMANCE THERMAL DOORS



First impressions are incredibly important. That's why at Pollard we don't just make great windows, we also make beautiful doors and entrance systems. Our Polardor Insulated Entrance Systems are manufactured with insulated steel or fiberglass doors and offer durability and security. Whether you choose a paintable wood or low maintenance vinyl frame, there is a design to meet your needs. Select from a wide variety of decorative lites with both matching sidelites and transoms. Increase the energy efficiency and enhance the curb appeal of your home with a Polardor Insulated Entrance System.



**Ultraprime Doors feature a Solid Wood Frame**

The insulating properties of wood will add warmth to your home. All wood components are pressure-treated to protect against decay. Also, all frame joints are sealed to resist water penetration and are paint-ready to match your exterior finishes.



**Tough Steel Door Skin**

Durable 24 gauge steel skin resists warping, swelling or twisting like conventional wood doors. Hot-dipped galvanized steel assures long term protection and an excellent base for finishing.

**Liberty Doors Vinyl Clad Frame**

Liberty adds the benefit of a tough .065" thick, vinyl clad low maintenance exterior to our solid wood frame. It withstands all types of weather without peeling, flaking, pitting or corroding. Available in Pearl White, Silversand or Autumn Ivory colors. To give it a more traditional look optional brickmold can be purchased.

**Weatherstripping**

The closed cell weatherstripping used on the Polarador sill resists the absorption of water so that in cold winter months it does not freeze and lose its tight seal. On the remainder of the door frame, a foam compression weatherstrip is used to provide an optimal, secure seal around the perimeter of the door which in winter keeps warm air in and keeps cold air out.

**Aluminum Sill**

Constructed of durable 1/16" aluminum and features raised ribs which allow for good traction. Low profile sill available for greater accessibility. Available in black or standard mill finish.

**Water Trap Sill Design**

Driving rain is trapped in this unique, fiberglass channel and released to the outside through the weep hole. A weep hole cover helps prevent insects from entering below the sill.



**Solid Wood Lock Block**

Each door is equipped with a solid wood lock block to ensure permanent attachment of security hardware.

**Fiberglass Door Skin**

Durable and easy to finish. Available in both smooth skin for painting and wood-grain texture for staining. Dent and warp resistant.

**Polyurethane Foam Core**

The insulation value is at least six times greater than a solid wood door. With an R value of 12 it is the perfect solution for your home.

**Sweepless Door**

By eliminating the need for a door sweep there is no sweep to tear or adjust.

**Vinyl Subsill**

The durable 3/32" vinyl subsill resists rotting and cracking. The continuous sill running under the jambs prevents jamb rot.



# TABLE OF CONTENTS

<b>Privacy Guide</b>		<b>4-5</b>	<b>Royston</b>	Patina	<b>36</b>
<b>Specifications</b>		<b>6-7</b>	<b>Auburn</b>	Patina	<b>37</b>
<b>Design Guide</b>		<b>8-11</b>	<b>Everton</b>	Patina and Zinc	<b>38-39</b>
<b>Perimeter</b>	Sandblast	<b>12-13</b>	<b>Pinehurst</b>	Forged Iron	<b>40</b>
<b>Narrows</b>	Patina	<b>14</b>	<b>Verona</b>	Forged Iron	<b>41</b>
<b>Granville</b>	Patina	<b>15</b>	<b>Riverton</b>	V-Groove	<b>42</b>
<b>Sullivan</b>	Sandblast	<b>16</b>	<b>Star</b>	Brass and Zinc	<b>43</b>
<b>Waterton</b>	Patina	<b>17</b>	<b>Solution Series</b>		<b>44-47</b>
<b>Modena</b>	Patina and Zinc	<b>18-19</b>	<b>Retro Series</b>		<b>48-51</b>
<b>Hollister</b>	Patina	<b>20-21</b>	<b>Internal Blinds</b>	Raise, Lower and Tilt	<b>52-53</b>
<b>Canterbury</b>	Patina	<b>22-23</b>	<b>Venting</b>		<b>54-55</b>
<b>Adelaide</b>	Patina	<b>24-25</b>	<b>Clear One Lites</b>		<b>56</b>
<b>Artisan</b>	Patina	<b>26-27</b>	<b>Internal Grids</b>		<b>57</b>
<b>Beauty Shots</b>		<b>28-29</b>	<b>Mix and Match</b>		<b>58</b>
<b>Harlow</b>	Patina	<b>30-31</b>	<b>Frame Profiles</b>		<b>59</b>
<b>Niagara</b>	Brass, Patina and Zinc	<b>32</b>	<b>Size Specifications</b>		<b>60</b>
<b>Madison</b>	Castlite Glass	<b>33</b>	<b>Door &amp; Sidelite Sizing</b>		<b>61</b>
<b>Lexington</b>	Patina	<b>34-35</b>	<b>Door Options</b>		<b>62</b>

# PRIVACY GUIDE

Trimlite offers an extensive line of designs to choose from and the degree of openness or obscurity varies considerably. To help your decision making process we have photographed each design under controlled circumstances so that you can see the difference. With each picture, we have included a number which represents the 'Privacy Level' for that particular design. This number will be referenced on the individual product page as well. Note: this 'guide' is subjective. It should only be used when comparing Trimlite designs.

B : BRASS    FI : FORGED IRON    P : PATINA    Z : ZINC



Clear glass

0



Adelaide P24 | P

8



Artisan P26 | P

7




Auburn P37 | P

7



Canterbury P22 | P

8




Everton P38 | P.Z

7



Granville P15 | P

7



Harlow P30 | P

8



Hollister P20 | P

7



Lexington P34 | P

5



Madison P33


8




Modena P18 | P.Z

7

PRIVACY



1



2

3

4

5

6

7

8

9

10

**COMPLETELY CLEAR**


Objects can be clearly seen through the glass from the opposite side.

**DIFFUSED/DISTORTED**

Objects are distorted, but can still be detected from the opposite side.

**COMPLETELY OPAQUE**

Only light will travel through from the opposite side.



Narrows P14 | P

8



Niagara P32 | B.P.Z.

7



Perimeter P12

8



Pinehurst P40 | FI

9



Riverton P42

8



Royston P36 | P

8



Star P43 | B.Z.

4



Sullivan P16

8



Verona P41 | FI

9



Waterton P17 | P

5

Please Note: Due to ongoing product development Trimlite reserves the right to make changes in design, materials and specifications without notice. Please contact your dealer for more information.

Doorlites featured in either smooth (white), woodgrain (stained), or fir (stained) fiberglass doors. Some exceptions apply. Door slabs supplied by Plastpro, inc., a leading manufacturer of fiberglass door products. Contact your dealer for a complete list of Plastpro products available in your area.



# SPECIFICATIONS

## CONSTRUCTION

- Handcrafted, our decorative glass panels stay true to their stained glass roots.
- Our selection of premium art glass and bevels, which makes our designs come to life, are hand cut and fitted. Careful consideration is given to choosing textures, complementing elements are crucial to a design's given appeal.
- Using solid metals, where all of the joints are soldered by hand, ensures the panels will be strong enough to withstand daily use.
- Once assembled, the panel undergoes a thorough cleaning and inspection process. This attention to detail is our assurance of quality to you.

## GLASS VARIATION

Decorative pattern glass is handmade. Through this process, slight imperfections or discolourations are inherent characteristics of all handcrafted glass. Bubbles or seeds, slight surface flaws and subtle variations in textures vary depending on the pattern. Some glass patterns, like Swirl and Drawn, are more likely to have these inclusions. They are not considered defects.



Swirl Glass Detail



Drawn Glass Detail

## CAMING OPTIONS

Hand soldered metals in 3 finishes. See individual product pages for availability.



### Brass Caming

Subtle gloss finish that defines luxury and style.



### Patina Caming

Black satin finish offers a rustic or antique look to your home.



### Zinc Caming

Brushed chrome appearance brings a contemporary look to your entrance.



# INSULATING SYSTEM


All Trimlite Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

## PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicone Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your piece of mind
- Low E\* with Argon Gas for your comfort

**TrueWARM®**  
s p a c e r s

*Super Spacer®*



All Trimlite Doorlites are certified by the National Accreditation and Management Institute, Inc. (NAMI).

All Trimlite products are energy tested. Consult your dealer for specific energy ratings.

**Warranties:** Our products are covered by separate limited warranties. Please contact your dealer for more information.


SuperSpacer®, TrueWarm® and Cushion Edge™ are all registered trademarks of QUANNEX BUILDING PRODUCTS.

\*Our doorlites are available with Low E and Argon. However, some exceptions may apply. Contact your dealer for more details.



## MODERN FARMHOUSE

A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite door and glass options that intelligently mix modern and traditional.



DRS29  
with 2248 Modena



DRF3F  
with 2215 Adelaide



DRS00  
with 2264  
Sable



CONTEMPORARY


Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



DRS00  
with 2203 6-Lite  
Solution Series  
Sandblast



DRG29  
with 2248  
Sullivan



DRS00  
with SB0764 2-Lite  
Solution Series  
Rooftop



DRG40  
with 2264  
Perimeter



CRAFTSMAN

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and glass options that give you the beautiful detailing a craftsman home requires.



DRS2B  
with 2236  
Artisan



DRG29  
with 2248  
Royston



DRS00  
with 2264  
Narrows



DRG40  
with 2208  
Waterton



DSF3P  
with 2215  
Harlow



TRADITIONAL

Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.



DRS20  
with 1842OV  
Star



DRG29  
with 2248  
Riverton



DRS40  
with 2236  
Niagara



DRG49  
with 2248  
Madison



DRS00  
with 2264  
Canterbury

# Perimeter



Glass Size: 2264  
 Door: Fiberglass DR500  
 (shown with custom  
 transom and sidelite)

Perimeter	0836*	2236*	0848	2248	0764*	2064	2264	0880	2280	2203*	2208*	2215*	2515	2217*
Sandblast	■	■	■	■	■	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.



2203



O764 / 2215\*\* / O764



2217 (x3)



O848 / 2248 / O848



O836 / 2236




2208



O880 / 2280 / O880 (8ft entry)



O764 / 2515\*



Sandblast

3/4" Clear Glass Edge  
(Note: May vary depending on frame choice.)

Sandblast



● Privacy Guide. See pages 4 and 5.

\* Shown in the Plastpro Craftsman 6 Panel fiberglass. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 Panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8

# Narrows



Glass Size: 2236  
Door: Fiberglass DRS2B

Narrows	0836*	2236*	0848	2248	0764*	2264	2215*	2515
Patina	■	■	■	■	■	■	■	■


NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.



O848 / 2248 / O848



O836 / 2236 / O836



- Hammered
- Luminating Reed
- Clear Bevels
- 3/16" Caming


Patina



● Privacy Guide. See pages 4 and 5.



2515\*\*



O764 / 2264 / O764



2215\*

\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

\*\* Shown in the Plastpro Craftsman 6 Panel fiberglass. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Shown with optional matching dentil shelf.






O848 / 2248 / O848



O836 / 2236 / O836




O764 / 2264 / O764 with Transom




Glass Size: 2264  
Door: Fiberglass DR500

Granville	0836*	2236*	0848	2248	0764*	2264	2215*
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.



O764 / 2215\* / O764



Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



Glass Size: 2264  
Door: Fiberglass DRG40




O836 / 2236 / O836



O848 / 2248 / O848

Sullivan	0836*	2236*	0848	2248	0764*	2064	2264
<b>Sandblast</b>	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.



— Sandblast

— 3/4" Clear

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Sandblast



O764 / 2064 / O764



O848 / 2248 / O848



O836 / 2236 / O836



O764 / 2208 / O764



Glass Size: 2264  
Door: Fiberglass DRG40


Waterton	O836*	2236*	O848	2248	O764*	2264	2208*
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.

## PRIVACY 5

● Privacy Guide. See pages 4 and 5.

† Swirl glass often contains small bubbles/surface imperfections. They are not considered defects. See page 6 for more information.



Patina



Modena	0836*	2236*	0848	2248	0764*	2264	2215*
Patina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zinc	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.

Glass size: 0764 / 2264 Zinc  
 Door: Fiberglass DR500  
 Sidelite: Fiberglass SLS00



2236 / 2236 Zinc




0764 / 2215 Patina (x3)




2264 / 0764 Patina



0848 / 2248 / 0848 with Transom Zinc



0764 / 2215\*\* / 0764 Patina



Shown in Patina

\*\* Shown in the Plastro Shaker 3 panel fiberglass door.  
Available in 2/8, 2/10 & 3/0 x 6/8.



Mainlites and Sidelites are reversible.  
Simply rotate the insert to create the  
look that works for you.

## PRIVACY 7


● Privacy Guide. See pages 4 and 5.



Hollister	0836*	2236*	0848	2248	0764*	2264	2215*
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.


Glass size: 2264  
Door: Fiberglass DR500



O764 / 2264 / O764



2215\*\*




O764 / 2215\* / O764




O836 / 2236 / O836



O848 / 2248 / O848 with Transom



Sidelites are reversible. Simply rotate the insert to create the look that works for you.



Patina

- Kasumi
- 3/16" Caming
- Clear Bevels
- Black
- Rain

\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

\*\* Shown in Plastpro Fir Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

# Canterbury



Canterbury	0836*	2236*	0848	2248	0764*	2264	1842OV	2210C
Patina	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.

Glass size: 0764 / 2264 / 0764  
 with Transom  
 Door: Fiberglass DRG40  
 Sidelite: Fiberglass SLGOO





0836 / 2236 / 0836




2210C



0848 / 2248 / 0848



0764 / 1842OV / 0764



PRIVACY 8

● Privacy Guide. See pages 4 and 5.

# Adelaide



Adelaide	0836*	2236*	0848	2248	0764*	2264	2215*	2515	2210C
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
\*Available with Solution Series frame.

Glass size: 2248  
Door: Fiberglass DRS29



O836 / 2236 / O836



2215\*\*



2515\* / O764




O848 / 2248 / O848



2210C



O764 / 2264 / O764 with Transom



- Sable Bevels
- Clear Bevels
- 3/8" Caming
- Sable Bevel

Patina



● Privacy Guide. See pages 4 and 5.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in Plastpro Fir Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



Glass size: 2264 / 2264  
 Door: Fiberglass DR500


Artisan	0836*	2236*	0848	2248	0764*	2064	2264	0880	2280	2215*	2515
Patina	■	■	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

\*Available with Solution Series frame.



O836 / 2236



O764 / 2215\*\* / O764




2515\* / O764



O848 / 2248 / O848 with Transom



O880 / 2280 / O880 (8ft entry)



Patina

- Mica
- Clear Bevels
- Luminating Reed
- 3/16" Caming

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

## PRIVACY 7

● Privacy Guide. See pages 4 and 5.



Glass: Granville 2264  
Door: DRSOO



▲ Glass: 2203 Diffused White Laminate (White Lami)  
Door: DRSOO  
Sidelites: Direct Set Diffused White Laminate (White Lami)




Glass: Sandblast 2215  
Door: DRSOO



Glass Niagara O848 / 2248 / O848 Zinc  
Door: DRS29  
Sidelite: SLS3E



0836 / 2236 / 0836



2215\*\*




0764 / 2515\* / 0764



0764 / 2264 / 0764 with Transom



2248 / 2248



Patina

- Granite
- 3/8" Caming
- Clear Bevels
- Narrow Reed
- 3/16" Caming
- Sandblast

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

PRIVACY 8

● Privacy Guide. See pages 4 and 5.





Harlow	0836*	2236*	0848	2248	0764*	2264	2215*	2515
Patina	■	■	■	■	■	■	■	■

Glass size: 0764 / 2264 / 0764  
 Door: Fiberglass DR500  
 Sidelite: Fiberglass SLS00

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.



Glass size: O848/2248/O848 Zinc  
 Door: Fiberglass DRG29  
 Sidelite: SLG3E




O718 Zinc

O764 / 1842OV / O764 with Transom Zinc



2210SB Patina

O836 / 2236 Brass



Shown in Patina

	0718	0836*	2236*	0848	2248	0764*	1842OV	2210SB
<b>Brass</b>	■	■	■	■	■	■	■	■
<b>Patina</b>	■	■	■	■	■	■	■	■
<b>Zinc</b>	□	□	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.

PRIVACY



● Privacy Guide. See pages 4 and 5.



0836 / 2236 / 0836



0848 / 2248 / 0848



0764 / 2264 / 0764



Glass size: 2264  
Door: Fiberglass DR500

Madison	0836*	2236*	0848	2248	0764*	2264
Castlite	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NOTE: Transom and custom sidelites are not available for this design.  
\*Available with Solution Series frame.


## PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Smooth Lines

Textured Back

Note: Texture is on the outside of the unit.




# Lexington



Glass size: 2248 / 2248  
Door: Fiberglass DRS29

Lexington	0836*	2236*	0848	2248	0764*	2264	2208*	2215*	2515
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
\*Available with Solution Series frame.




2208 / O764



2264




2248 / O848




2215\*\*



O836 / 2236 / O836



O764 / 2515\* / O764 with Transom



Patina

- Clear Bevels
- Grey Ripple
- Drawn†
- Clear Ripple
- 3/16" Caming

## PRIVACY 5

● Privacy Guide. See pages 4 and 5.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in Plastpro Fir Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

† Drawn glass often contains surface imperfections. They are not considered defects. See page 6 for more information.



Glass size: O764 / 2264 / O764 with Transom  
 Door: Fiberglass DRG40  
 Sidelite: Fiberglass SLG60



O764 / 2515\*

2208



O836 / 2236

2215\*\*



O848 / 2248 / O848

## PRIVACY




● Privacy Guide. See pages 4 and 5.

Royston	0836*	2236*	0848	2248	0764*	2264	2208*	2215*	2515
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



- 3/8" Caming
- Clear Bevels
- Rain
- Luminating Reed
- Granite

Patina




2515\*



2210C



Glass Size: O764 / 2264 / O764  
 Door: Fiberglass DRG40  
 Sidelites: SLG60



O764 / 2215\*\* / O764



O836 / 2236 / O836



O764 / 2264 / O764



O848 / 2248 / O848 with Transom

## PRIVACY

7


● Privacy Guide. See pages 4 and 5.

Auburn	0836*	2236*	0848	2248	0764*	2264	2215*	2515	2210C
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



Patina



Everton	0836*	2236*	0848	2248	0764*	2264	842RD	1842OV
Patina	■	■	■	■	■	■	■	■
Zinc	□	□	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.  
 \*Available with Solution Series frame.

Glass size: 0764 / 1842OV / 0764 Patina  
 Door: Fiberglass DRS20  
 Sidelite: Fiberglass SLS00






O764 / O842RD\* / O764 Patina




O848 / 2248 / O848 Zinc



O836 / 2236 / O836 Patina



O764 / 2264 / O764 with Transom Zinc



Shown in Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

\*Shown in a steel door. Not available in fiberglass.



Glass size: 2248  
Door: Fiberglass DRG29



O764 / 2264 / O764 with Transom



O848 / 2248 / O848

Pinehurst	0848	2248	0764	2064	2264
Forged Iron	■	■	■	■	■

NOTE: Transom and custom sidelites are available.  
Contact your local dealer for more information.


PRIVACY

9

● Privacy Guide. See pages 4 and 5.

3/8" Square Bar

Castlite



Forged Iron



Glass size: 2264 / 2264  
Door: Fiberglass DRSOO



Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.

3/8" Round Bar

Sandblast



Forged Iron



0848 / 2248



2264 / 0764



2248 / 2248 with Transom

PRIVACY



● Privacy Guide. See pages 4 and 5.


Verona	0848	2248	0764	2264
Forged Iron	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.


Glass size: O764 / 2515\* / O764  
 Door: Fiberglass DRG6C w/ Dentil shelf  
 Sidelite: Fiberglass SLG6O

## PRIVACY 8

● Privacy Guide.  
 See pages 4 and 5.



Obscure Etch  
 Clear  
 V-Groove  
 (3/8" - 9.5mm)



2215\*\*



2236 / O836



2064 or 2264



2248 / O848

Riverton	0836*	2236*	0848	2248	0764*	2064	2264	2215*	2515
<b>V-Groove</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NOTE: Transom and custom sidelites are not available for this design. \*Available with Solution Series frame.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



O836 / 2236 / O836 with Transom Brass




O764 / 1842OV / O764 Zinc



2248 Brass

▲ Glass size: O848 / 2248 Zinc  
 Door: Fiberglass DRS49  
 Sidelite: Fiberglass SLS49



Glue Chip  
 Clear Bevels  
 3/16" Caming

Shown in Brass

PRIVACY 4

● Privacy Guide. See pages 4 and 5.

Star	O836*	2236*	O848	2248	O764*	1842OV
Brass	■	■	■	■	■	■
Zinc	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information. \*Available with Solution Series frame.



## AT THE INTERSECTION OF FORM AND FUNCTION

Thoughtful, clean lines, simple design, and peace of mind. These guiding principles inspired us to create the Solution Series. The Solution Series is perfect when you want the glass and the door to be the star, while the frame blends seamlessly into the background.

The Solution Series design eliminates any screw holes, so you don't have to worry about gaps or screw plugs. Our patented\* technology uses a compression seal and interlocking joints to adhere to your door, creating a powerful bond. The frame is built to resist warping and melting in high heat areas so it can be used with any color finish. Our textured frame comes in two colors to match any stain or paint.

Glass Size: 2208 Rooftop  
Door: DR500

\*US Patent Number 9, 617, 779



## PRODUCT FEATURES

- Available in white or tan
- Shaker style low profile
- No screws, plugs, or holes
- Textured vertical grain pattern
- Patented frame system
- Connects modern, craftsman, or mid-century architectural styles
- Available in 10 sizes -- O764, O806, O808, O836, 2203, 2208, 2210, 2217, 2215, and 2236. 2215 size also available with 3-Lite and 6-Lite SDL Bars.

## FRAME DETAIL

### Side Profile



## PATENTED FRAME DESIGN



### Front Profile




# Solution Series - Glass Options



Clear 1



Chords 8



Diffused White Laminate 10  
(Featuring Laminate Safety Glass)



Mistlite 8



Narrow Reed 8



Rooftop 8



Sable 8



Sandblast 9



Screen Dot 7

Glass can be specified with Low-E to improve energy efficiency. Some exceptions may apply. Contact your dealer for more information.




# Solution Series - Door Design Options

Select from one of our designs,  
or create your own.

## 6'8" and 7'0" Designs



O764



O806



O808



2203




2208 or 2210



2215 or 2217



2215  
3-Lite



2215  
6-Lite




O836 (x2)




2236

## 8'0" Designs



O806



O808



2203



2208



2215

Trimlite offers additional designs in 6'8", 7'0", and 8'0" designs. Contact your dealer for more information.

## BALANCING PRIVACY AND DESIGN

Retro is defined as remaking the past. Our Retro Series is an extension of our I-Lite French Doors that have been remade specifically for our Exterior Doors. We selected our glass designs that balance privacy and design, as we believe your doorlite should always be elegant and safe.

Our glass designs pair perfectly with our standard frame options. And, like decorative designs, these come standard with Low-E and Argon for additional energy efficiency. Although these products may seem new, they are remade for you.

Glass: 2264 Chords  
Door: Fiberglass DR500

## PRODUCT FEATURES

- Frames available in white or tan
- Works with any of our standard frame options to fit your home style
- 8 unique glass designs
- 10 frame sizes
- Glass patterns suit any architectural style
- Makes a statement from any door opening
- Glass designs offer a variety of privacy settings to suit your needs

Glass: O764 Rooftop  
Door: Fiberglass DR500

# Retro Series - Glass Options



Glass Size 2208 Rooftop  
Door: DRS40



Chords 8



Diffused White Laminate 10  
Featuring Laminated Safety Glass



Mistlite 8



Narrow Reed 8



Rooftop 8



Sable 8



Sandblast 9



Screen Dot 7

# Retro Series - Glass Size Options



0836



2236



0848



2248



0764




2064




2264



2208



\*\*2215



\*2515

Doors above shown with Rooftop glass, see page 48 for other glass options.

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

# Internal Blinds Between Glass




Glass size: 2280 / 2280  
Door: Fiberglass DR500

## MAINLITES



2036 or 2236



2248



2064 or 2264




2080 or 2280 (8ft entry)

## SIDELITES



O836



O848



O764 or O864



O880



Tilt

Down  
Up

PRIVACY



## BENEFITS

- Blinds between glass require no dusting
- No exposed cords
- One control system provides raise/lower AND tilt options in one easy operator design
- Available in Low E & Clear Glass\*

\*Contact your local dealer for complete list of sizes and glass options available in your area.

# Venting Doorlites - "EZ" LIFT



Glass size: 2264 / 2264  
Door: Fiberglass DR500

Our EZ Lift vent incorporates a spring assist, making it very easy to operate. No more bending down. Simply unlock, and adjust.

- All precision injection molded parts
- Spring assist for easy operation
- Maintenance free
- Cam lock for your piece of mind
- Removable screen
- Full half vent for maximum air flow



Locking Latch



2248



2064



2264

Note: "EZ" Vent only available in sizes shown.



Window Handle for Easy Operation



## HALF VENT



2036 or 2236 Clear



2236 Internal Grid\* 12L



2236\* Rain



- All precision injection molded parts
- Ergonomic handle design combines functionality with a modern look
- Reinforced latch system allows for travel free operation
- Removable screen

\*Note: Contact your dealer for a complete list of grid and glass options available in your area.



## VENTING EXTENSIONS

Now you take our standard half vent and make it into a full view insert by adding our unique Venting Extension.



2064 or 2264 Clear



- Extensions interlocks with our 2036 or 2236 creating a full view doorlite
- Venting in middle of door allows for easier operation
- No more damaged screens from pets

# Standard Doorlite - One Lites

## CLEAR ONE LITE



0718



0836



2236



0848



2248



0764



2064



2264




2208



2215\*\*



2515\*



221OSB



0880 (8ft)



2080 (8ft)



2280 (8ft)

## Want privacy in your doorlite... Consider these obscure glass options

NOTE: Obscure options are special order. Please contact your dealer for more information.



Cross Reed 8



Delta Frost 9



Glue Chip 8



Pinhead (P516) 9



Rain 9



Kasumi 8

## TRADITIONAL



2236 9L



O836 3L



2236 9L



O848 4L



2248 12L



O764 5L



2064 15L



2264 15L



2215\* 3L



2215\* 6L



2515\* 3L



2515\* 6L



2210SB 4L

\* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel.

\*\* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

## PRAIRIE



2236 9L



O836 6L




2236 9L



O848 6L



2248 9L



O764 6L



2064 9L



2264 9L

## STANDARD GRIDS

Indicate bar preference when ordering.



5/8" x 1/4"  
Flat Bar White



5/8" x 5/16"  
Contour Bar White  
(Georgian Bar)

## SPECIAL ORDER GRIDS

Additional grid options available in various colours, sizes and patterns, contact your dealer for more information



764 / 2064 or 2264 / 764 White Internal Grid

## Need more performance in your doorlite... Consider Cardinal LoE<sup>2</sup>-272 Glass

































Available in the clear and white internal grid options, the insulating value of Cardinal's LoE<sup>2</sup>-272 patented coating is nearly double that of an ordinary insulated glass unit. In winter, LoE<sup>2</sup>-272 reflects heat back into the room. In summer, it rejects the sun's heat and damaging UV rays. The coating is virtually invisible to the eye yet blocks 84% of the sun's harmful ultraviolet rays. In fact, LoE<sup>2</sup>-272 is the clearest, highest performing glass you can buy.


Some items are special order. For a complete list of sizes, glass and grid options available in your area, contact your dealer for more information.



# Mix and Match

Design your entrance using the following suggestions as your guide. Contact your dealer for more information.

DOOR	SIDELITE OPTIONS	DOOR	SIDELITE OPTIONS
 O718	 O836	 2080 or 2280	 O880
 O836x2	 O836	 2208	 O764
 2036 or 2236	 O836	 2215 or 2217	 O764
 O848x2	 O848	 2515	 O764
 2248	 O848	 O842RD	 O764
 O764x2	 O764	 1842OV	 O764
 2064 or 2264	 O764	 2210C	 O836
 O880x2	 O880	 2210SB	 O836

 Indicates an 8-foot High Entrance

**RD:** Round Top   **OV:** Oval   **SB:** Sunburst Top   **C:** Camber Top


## FRAME OPTIONS

Our complete series of "Elite" frames, whether injection moulded or extruded PVC, all have a matching woodgrain with a low profile.

Our Colonial "Plus" PVC frame profile is raised with a smooth (white) or woodgrain (tan) surface. It also comes with the continuous screw strip cover feature.

Our Mid-Century Modern (MCM) frame profile features a clean, contemporary look. It also comes with the continuous screw strip cover feature.

For a more detailed breakdown of our different frame options, please refer to the following:



**ELITE WHITE FRAME** - This is our Standard Maintenance Free White Frame (Does not require painting). Specifications as follows:

Construction - Injected Moulded Low Profile  
 Surface - Woodgrain  
 Material - White Polypropylene or White PVC  
 Glazing Material - White foam adhesive on both channels (frame to glass & frame to door) or rubber gasket (PVC)  
 Plugs - Used to cover screw holes

**Note: 1842OV has a raised profile.**



**ELITE TAN FRAME** - This is our Standard Frame for Painting or Staining. Specifications as follows:

Construction - Injected Moulded Low Profile  
 Surface - Woodgrain  
 Material - TAN PC/ABS or Tan PVC  
 Glazing Material - Foam tape on both channels (black two sided tape frame to glass & white one sided tape frame to door) or rubber gasket (PVC)  
 Plugs - Used to cover screw holes


**Note: 1842OV has a raised profile.**



**COLONIAL "PLUS" PVC FRAME** - This is our Raised Profile PVC Frame Specifications as follows:

Construction - Extruded Raised Profile w/ mechanical joints (glued)  
 Surface - Smooth (White) or Woodgrain (Tan)  
 Material - White PVC (does not require painting) or Tan PVC (for staining or painting)  
 Glazing Material - Co-Extruded colour matched rubber gasket on both channels (frame to glass & frame to door)  
 Strips - Continuous strips to cover screw holes

**NOTE: Not available in round tops and ovals.**



**MCM PVC FRAME** - This is our Flat Profile PVC Frame Specifications as follows:

Construction - Extruded Flat Profile w/ mechanical joints (glued)  
 Surface - Smooth (White)  
 Material - White PVC (does not require painting)  
 Glazing Material - Co-Extruded colour matched rubber gasket on both channels (frame to glass & frame to door)  
 Strips - Continuous strips to cover screw holes

**NOTE: Not available in round tops and ovals.**



**SOLUTION SERIES FRAME** - This is our Flat Profile ABS Frame Specifications as follows:

Construction - Injected Moulded Flat Low Profile  
 Surface - Woodgrain  
 Material - White ABS (for painting) or Tan ABS (for staining)  
 Glazing Material- Foam tape on both channels (black two sided tape frame to glass & white one sided tape frame to door)  
 Screwless Frame - No screws, no screw plugs, no screw strips  
 Sizes - 0764, 0806, 0808, 0836, 2203, 2208, 2210, 2217, 2236, 2215 (1-Lite, 3-Lite, & 6-Lite) Only.

# Size Specifications

Please refer to the following guide to confirm what sizes are available in our different product choices. Contact your dealer for product availability in your area.


NAME		SIZES																															
	PAGE	0718	0836	2236	0848	2248	0764	2064	2264	2203	0806	0808	2215 (3-lite)	2215 (6-lite)	0880 (8ft)	2280 (8ft)	2208	2210	2217	2215	2515	0842RD	1842OV	2210SB	2210C	Transom	Brass	Patina	Zinc	Forged Iron	Privacy		
		<b>DECO SERIES</b>	<b>Adelaide</b>	24	■	■	■	■	■		■											■	■			■	■	■					
	<b>Artisan</b>	26		■	■	■	■	■	■						■	■					■	■				■	■	■					7
	<b>Auburn</b>	37		■	■	■	■	■		■											■	■				■	■	■					7
	<b>Canterbury</b>	22		■	■	■	■	■		■														■	■	■	■	■					8
	<b>Everton</b>	38		■	■	■	■	■		■													■	■		■	■	■					7
	<b>Granville</b>	15		■	■	■	■	■		■											■	■				■	■	■					7
	<b>Harlow</b>	30		■	■	■	■	■		■											■	■				■	■	■					8
	<b>Hollister</b>	20		■	■	■	■	■		■											■	■				■	■	■					7
	<b>Lexington</b>	34		■	■	■	■	■		■							■				■	■				■	■	■					5
	<b>Madison</b>	33		■	■	■	■	■		■																■	■	■					8
	<b>Modena</b>	18		■	■	■	■	■		■											■	■				■	■	■					7
	<b>Narrows</b>	14		■	■	■	■	■		■											■	■				■	■	■					8
	<b>Niagara</b>	32	■	■	■	■	■	■															■	■		■	■	■	■				7
	<b>Perimeter</b>	12		■	■	■	■	■	■	■	■						■		■	■	■	■				■	■	■					8
	<b>Pinehurst</b>	40				■	■	■	■	■																■	■	■			■		9
	<b>Riverton</b>	42		■	■	■	■	■	■	■											■	■					■	■	■				8
	<b>Royston</b>	36		■	■	■	■	■		■							■				■	■				■	■	■					8
	<b>Star</b>	43		■	■	■	■	■															■			■	■	■			■		4
	<b>Sullivan</b>	16		■	■	■	■	■	■	■																■	■	■					8
	<b>Verona</b>	41				■	■	■		■																■	■	■			■		9
	<b>Waterton</b>	17		■	■	■	■	■		■							■									■	■	■					5
<b>SOLUTION / RETRO SERIES</b>	<b>Chords</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					8
	<b>Diffused White Laminate</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					10
	<b>Mistlite</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					8
	<b>Narrow Reed</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					8
	<b>Rooftop</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					8
	<b>Sandblast</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					9
	<b>Sable</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					8
	<b>Screen Dot</b>	46,50		■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■						■	■	■					7

\*West Coast: Not shown in brochure but available for viewing on our website. Contact your dealer for availability.


Note: Due to ongoing product development we reserve the right to make changes in design, materials and specifications without notice.

**Transoms: Are available as special order for Deco Series. Exceptions Noted. Please contact your dealer for more information. Available for all Solutions/Retro Series glass.**

# PERFORMANCE YOU CAN COUNT ON

					ENERGY STAR®		
	1/4 Lite U/SHGC/ER	1/2 Lite U/SHGC/ER	3/4 Lite U/SHGC/ER	Full Lite U/SHGC/ER	Canada 1/4 / 1/2 / 3/4 / Full	U.S.A. 1/4 / 1/2 / 3/4 / Full	
<b>LIBERTY/ULTRAPRIME</b> with Steel Door	Polardor Single/Double without Grills Dual Glazed Standard Low E	0.17/0.10/24	0.20/0.18/24	0.22/0.24/26	0.23/0.21/22	YES / YES / NO / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed Standard Low E	0.17/0.09/23	0.20/0.16/23	0.22/0.21/24	0.23/0.19/21	YES / YES / NO / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.04/21	0.18/0.07/21	0.19/0.09/21	0.20/0.12/21	YES / YES / YES / YES	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.04/21	0.18/0.06/20	0.19/0.08/20	0.20/0.11/20	YES / YES / YES / YES	ALL / ALL / ALL / ALL
	Polardor Single/Double with Decorative Lite Triple Glazed Clear (leaded)	0.17/0.08/22	0.19/0.14/23	0.20/0.19/25	0.22/0.25/26	YES / YES / YES / NO	ALL / ALL / ALL / ALL
<b>LIBERTY/ULTRAPRIME</b> with Fiberglass Door	Polardor Single/Double without Grills Dual Glazed Standard Low E	0.19/0.10/21	0.22/0.18/22	0.24/0.24/23	0.25/0.21/20	YES / NO / NO / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed Standard Low E	0.19/0.09/21	0.22/0.16/21	0.24/0.21/21	0.25/0.19/19	YES / NO / NO / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.04/19	0.19/0.07/19	0.21/0.09/18	0.22/0.12/19	YES / YES / YES / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.04/19	0.19/0.06/19	0.21/0.08/18	0.22/0.11/18	YES / YES / YES / NO	ALL / ALL / ALL / ALL
	Polardor Single/Double with Decorative Lite Triple Glazed Clear (leaded)	0.18/0.08/21	0.21/0.14/21	0.22/0.19/23	0.24/0.25/24	YES / YES / NO / NO	ALL / ALL / ALL / ALL
Polardor Single/Double No Glazing	0.15/0.01/21	N/A	N/A	N/A	YES / N/A / N/A / N/A	ALL / N/A / N/A / N/A	

U – U-Factor. SHGC – Solar Heat Gain Coefficient. ER – Energy Rating.  
 The door performance data shown is for reference only and is limited. The actual rating can vary depending on options chosen. Confirm ratings for specific products with your Pollard sales representative.  
 Pollard Windows Inc. upholds a continuous product development process and reserves the right to make improvements and/or changes to designs, materials and specifications without notice.



## QUALIFICATION CRITERIA FOR RESIDENTIAL DOORS

Maximum U-Factor (W/m <sup>2</sup> · K)	1.22
Maximum U-Factor (Btu/h · ft <sup>2</sup> · F)	0.21
Minimum ER (unitless)	34

ENERGY STAR is a registered trademark of the U.S. EPA and is administered in Canada by Natural Resources Canada.

## GLAZING LEVEL

	U-FACTOR	SHGC
Opaque	≤0.17	No Rating
≤1/2 Lite	≤0.25	≤0.25
>1/2 Lite, Northern and North-Central	≤0.30	≤0.40
>1/2 Lite, Southern and South-Central	≤0.30	≤0.25


ENERGY STAR is a registered trademark of the U.S. Federal Government.

\*Please visit our website at [www.pollardwindows.com](http://www.pollardwindows.com) for the latest ENERGY STAR® information.

All of our products are designed in our own in-house Research and Development department. Product prototypes are developed and modified as they go through a vigorous testing regime in our own testing machines. Once the product meets our tough standards, products are then sent out for independent testing. We are continuously looking at ways to improve the quality of our products for our customers.

# CHOOSE FROM A LARGE SELECTION OF DOOR STYLES

## Door Slab Designs – Smooth Steel, Smooth Fiberglass or Textured Fiberglass



A B D\*\* E G H J\*\*


A, B and H door slabs are available in an 8 foot height in both smooth steel, smooth fiberglass and fiberglass wood grain finish. E door slabs are used only with door lites.)




A-01 B-01 SL-01 A-02 B-02 SL-02 A-03 B-03 A-06 B-06 A-07



B-07 B-08 A-13\* SL-13\* A-14\* SL-14\* A-15\* A-16\* A-19 A-20



B-27 B-28 E-29 E-30 D-31\*\* A-32\* G-32\* SL-32\* G-33\* SL-33\* A-34\* G-34\* G-37



SL-1080\* SL-1080-F SL-1480\* SL-1480-F B-35 SL-35 A-36 SL-36

### When ordering doors:

Hinging of door is always determined from outside.



HINGE LEFT



HINGE RIGHT

\*Available in 8 Foot Height  
\*\* Not available in fiberglass



# DOOR AND SIDELITE SIZING

## LIBERTY DOOR SYSTEMS – VINYL CLAD WOOD FRAME

### Liberty Doors with Advantage or Liberty Sidelites

32" DOOR							
<b>RSO</b>	34 <sup>11</sup> / <sub>16</sub>	44 <sup>7</sup> / <sub>32</sub>	48 <sup>5</sup> / <sub>32</sub>	51 <sup>1</sup> / <sub>2</sub>	53 <sup>3</sup> / <sub>4</sub>	61 <sup>5</sup> / <sub>8</sub>	68 <sup>5</sup> / <sub>16</sub>
<b>OSM</b>	33 <sup>15</sup> / <sub>16</sub>	43 <sup>15</sup> / <sub>32</sub>	47 <sup>13</sup> / <sub>32</sub>	50 <sup>3</sup> / <sub>4</sub>	53	60 <sup>7</sup> / <sub>8</sub>	67 <sup>9</sup> / <sub>16</sub>
8ft. High	Standard						
	8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496

34" DOOR							
<b>RSO</b>	36 <sup>11</sup> / <sub>16</sub>	46 <sup>7</sup> / <sub>32</sub>	50 <sup>5</sup> / <sub>32</sub>	53 <sup>1</sup> / <sub>2</sub>	55 <sup>3</sup> / <sub>4</sub>	63 <sup>5</sup> / <sub>8</sub>	70 <sup>5</sup> / <sub>16</sub>
<b>OSM</b>	35 <sup>15</sup> / <sub>16</sub>	45 <sup>15</sup> / <sub>32</sub>	49 <sup>13</sup> / <sub>32</sub>	52 <sup>3</sup> / <sub>4</sub>	55	62 <sup>7</sup> / <sub>8</sub>	69 <sup>9</sup> / <sub>16</sub>
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

36" DOOR							
<b>RSO</b>	38 <sup>11</sup> / <sub>16</sub>	48 <sup>7</sup> / <sub>32</sub>	52 <sup>5</sup> / <sub>32</sub>	55 <sup>1</sup> / <sub>2</sub>	57 <sup>3</sup> / <sub>4</sub>	65 <sup>5</sup> / <sub>8</sub>	72 <sup>5</sup> / <sub>16</sub>
<b>OSM</b>	37 <sup>15</sup> / <sub>16</sub>	47 <sup>15</sup> / <sub>32</sub>	51 <sup>13</sup> / <sub>32</sub>	54 <sup>3</sup> / <sub>4</sub>	57	64 <sup>7</sup> / <sub>8</sub>	71 <sup>9</sup> / <sub>16</sub>
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

42" DOOR							
<b>RSO</b>	44 <sup>11</sup> / <sub>16</sub>	54 <sup>7</sup> / <sub>32</sub>	58 <sup>5</sup> / <sub>32</sub>	61 <sup>1</sup> / <sub>2</sub>	63 <sup>3</sup> / <sub>4</sub>	71 <sup>5</sup> / <sub>8</sub>	78 <sup>5</sup> / <sub>16</sub>
<b>OSM</b>	43 <sup>15</sup> / <sub>16</sub>	53 <sup>15</sup> / <sub>32</sub>	57 <sup>13</sup> / <sub>32</sub>	60 <sup>3</sup> / <sub>4</sub>	63	70 <sup>7</sup> / <sub>8</sub>	77 <sup>9</sup> / <sub>16</sub>
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

### Liberty Double Doors/Terrace Doors with Advantage or Liberty Sidelites

32" DOOR				
<b>RSO</b>	67 <sup>5</sup> / <sub>8</sub>	86 <sup>11</sup> / <sub>16</sub>	94 <sup>9</sup> / <sub>16</sub>	101 <sup>1</sup> / <sub>4</sub>
<b>OSM</b>	66 <sup>7</sup> / <sub>8</sub>	85 <sup>15</sup> / <sub>16</sub>	93 <sup>13</sup> / <sub>16</sub>	100 <sup>1</sup> / <sub>2</sub>
8ft. High	Standard			
	8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496

34" DOOR				
<b>RSO</b>	71 <sup>5</sup> / <sub>8</sub>	90 <sup>11</sup> / <sub>16</sub>	98 <sup>9</sup> / <sub>16</sub>	105 <sup>1</sup> / <sub>4</sub>
<b>OSM</b>	70 <sup>7</sup> / <sub>8</sub>	89 <sup>15</sup> / <sub>16</sub>	97 <sup>13</sup> / <sub>16</sub>	104 <sup>1</sup> / <sub>2</sub>
Standard	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680
8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *

36" DOOR				
<b>RSO</b>	75 <sup>5</sup> / <sub>8</sub>	94 <sup>11</sup> / <sub>16</sub>	102 <sup>9</sup> / <sub>16</sub>	109 <sup>1</sup> / <sub>4</sub>
<b>OSM</b>	74 <sup>7</sup> / <sub>8</sub>	93 <sup>15</sup> / <sub>16</sub>	101 <sup>13</sup> / <sub>16</sub>	108 <sup>1</sup> / <sub>2</sub>
Standard	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680
8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *

Leaded transoms can be custom ordered to match your door and sidelites. Ask your Pollard Windows Sales Representative for more information.



## ULTRAPRIME DOOR SYSTEMS – WOOD FRAME

### Ultraprime Doors with Sidelites

32" DOOR							
<b>RSO</b>	34 <sup>1</sup> / <sub>16</sub>	42 <sup>15</sup> / <sub>16</sub>	46 <sup>15</sup> / <sub>16</sub>	49 <sup>3</sup> / <sub>32</sub>	51 <sup>13</sup> / <sub>16</sub>	59 <sup>13</sup> / <sub>16</sub>	64 <sup>1</sup> / <sub>8</sub>
<b>OSM</b>	33 <sup>5</sup> / <sub>16</sub>	42 <sup>3</sup> / <sub>16</sub>	46 <sup>3</sup> / <sub>16</sub>	48 <sup>11</sup> / <sub>32</sub>	51 <sup>1</sup> / <sub>16</sub>	59 <sup>1</sup> / <sub>16</sub>	63 <sup>3</sup> / <sub>8</sub>
8ft. High	Standard						
	8ft. High	Single	USL 1096	USL 1496	USL 1696*	+2 USL 1096	+2 USL 1496

34" DOOR							
<b>RSO</b>	36 <sup>1</sup> / <sub>16</sub>	44 <sup>15</sup> / <sub>16</sub>	48 <sup>15</sup> / <sub>16</sub>	51 <sup>3</sup> / <sub>32</sub>	53 <sup>13</sup> / <sub>16</sub>	61 <sup>13</sup> / <sub>16</sub>	66 <sup>1</sup> / <sub>8</sub>
<b>OSM</b>	35 <sup>5</sup> / <sub>16</sub>	44 <sup>3</sup> / <sub>16</sub>	48 <sup>3</sup> / <sub>16</sub>	50 <sup>11</sup> / <sub>32</sub>	53 <sup>1</sup> / <sub>16</sub>	61 <sup>1</sup> / <sub>16</sub>	65 <sup>3</sup> / <sub>8</sub>
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 1696*	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

36" DOOR							
<b>RSO</b>	38 <sup>1</sup> / <sub>16</sub>	46 <sup>15</sup> / <sub>16</sub>	50 <sup>15</sup> / <sub>16</sub>	53 <sup>3</sup> / <sub>32</sub>	55 <sup>13</sup> / <sub>16</sub>	63 <sup>13</sup> / <sub>16</sub>	68 <sup>1</sup> / <sub>8</sub>
<b>OSM</b>	37 <sup>5</sup> / <sub>16</sub>	46 <sup>3</sup> / <sub>16</sub>	50 <sup>3</sup> / <sub>16</sub>	52 <sup>11</sup> / <sub>32</sub>	55 <sup>1</sup> / <sub>16</sub>	63 <sup>1</sup> / <sub>16</sub>	67 <sup>3</sup> / <sub>8</sub>
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 1696*	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

### Ultraprime Double Doors

32" DOOR				
<b>RSO</b>	67	84 <sup>3</sup> / <sub>4</sub>	92 <sup>3</sup> / <sub>4</sub>	97 <sup>1</sup> / <sub>16</sub>
<b>OSM</b>	66 <sup>1</sup> / <sub>4</sub>	84	92	96 <sup>5</sup> / <sub>16</sub>
8ft. High	Standard			
	8ft. High	Double	+2 USL 1096	+2 USL 1496

34" DOOR				
<b>RSO</b>	71	88 <sup>3</sup> / <sub>4</sub>	96 <sup>3</sup> / <sub>4</sub>	101 <sup>1</sup> / <sub>16</sub>
<b>OSM</b>	70 <sup>1</sup> / <sub>4</sub>	88	96	100 <sup>5</sup> / <sub>16</sub>
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

36" DOOR				
<b>RSO</b>	75	92 <sup>3</sup> / <sub>4</sub>	100 <sup>3</sup> / <sub>4</sub>	105 <sup>1</sup> / <sub>16</sub>
<b>OSM</b>	74 <sup>1</sup> / <sub>4</sub>	92	100	104 <sup>5</sup> / <sub>16</sub>
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

\* 8ft. high doors and side lites are not available in every design. Consult with your Pollard Sales Representative for availability and sizing.

**Liberty Masonry Opening**  
Width - add 1/2" to OSM  
Height - add 1/4" to OSM

**Ultraprime Masonry Opening**  
Width - add 2 3/4" to OSM  
Height - add 1 3/8" to OSM

**When ordering doors, note:**  
Hinging of door is always determined as viewed from outside.



HINGE LEFT

HINGE RIGHT



COMBINE BEAUTY, FUNCTION AND SECURITY WITH THESE SPECIALTY DOORS



TERRACE DOORS



ADVANTAGE VISTADOR PATIO DOORS

At Pollard, we have many versatile door types to meet all your needs. Terrace Doors are a terrific choice for patios, decks, porches or walkouts. Sliding patio doors are great for efficient use of space and are available in either all vinyl or vinyl clad wood. And, the FrenchClad Doors always add beauty and warmth of natural wood to any home interior.



LIBERTY VISTADOR PATIO DOORS



FRENCHCLAD WOOD DOORS

Our 300,000 sq.ft. manufacturing plant

**HEAD OFFICE**

1217 King Road,  
P.O. Box 507  
Burlington, ON  
L7R 3Y3 Canada  
Tel: (905) 634-2365  
1(800) 263-6616  
Fax: (905) 333-3521

**US OFFICE**

2728 Niagara Falls Blvd.  
Niagara Falls, NY  
14304 U.S.A.  
Tel: (716) 634-0037  
1(800) 846-4746  
Fax: (716) 695-1918

**DISPLAY CENTERS**

**Burlington**

1217 King Road  
Burlington, ON L7R 3Y3  
Tel: (905) 633-7444  
Fax: (905) 633-7666

**Toronto**

3200 Dufferin Street  
Toronto, ON M6A 3B2  
Tel: (416) 696-6716  
Fax: (416) 696-6718



*For a list of Distributors, visit our website at [www.pollardwindows.com](http://www.pollardwindows.com)*



**Pollard's industry leading warranty**

Our commitment to our customers extends to our warranty, considered to be among the best in the business. We offer a solid manufacturer's warranty on parts, a non-prorated warranty on insulated glass units and a non-prorated warranty on all vinyl components. By concentrating on being the best - rather than the biggest - Pollard Windows has earned a reputation for superior quality and durability. Of all our accomplishments, our greatest satisfaction is the loyalty shown to us by many long standing customers. For more information on our warranties please log on to [www.pollardwindows.com](http://www.pollardwindows.com) or contact your Pollard dealer.