

POLARDOR ENTRANCE SYSTEMS

High Performance Thermal Doors in Steel and Fibreglass





CHOOSE POLARDOR

HIGH PERFORMANCE THERMAL DOORS



First impressions are incredibly important. That's why at Pollard we don't just make great windows, we also make beautiful doors and entrance systems. Our Polardor Insulated Entrance Systems are manufactured with insulated steel or fibreglass doors and offer durability and security.
Whether you choose a paintable wood or low maintenance vinyl frame, there is a design to meet your needs. Select from a wide variety of decorative lites with both matching sidelites and transoms. Increase the energy efficiency and enhance the curb appeal of your home with a Polardor Insulated Entrance System.



INDUSTRY LEADING FEATURES ON ALL FIBREGLASS AND STEEL DOOR SYSTEMS



Liberty Doors Vinyl Clad Frame

Liberty adds the benefit of a tough .065" thick, vinyl clad low maintenance exterior to our solid wood frame. It withstands all types of weather without peeling, flaking, pitting or corroding. Available in Pearl White, Silversand and Autumn Ivory colours. To give it a more traditional look optional brickmould can be purchased.

Weatherstripping

The closed cell weatherstripping used on the Polardor sill resists the absorption of water so that in cold winter months it does not freeze and lose its tight seal. On the remainder of the door frame, a foam compression weatherstrip is used to provide an optimal, secure seal around the perimeter of the door which in winter keeps warm air in and keeps cold air out.

Aluminum Sill

Constructed of durable 1/16" aluminum and features raised ribs which allow for good traction. Low profile sill available for greater accessibility. Available in black or standard mill finish.

Water Trap Sill Design

Driving rain is trapped in this unique, fibreglass channel and released to the outside through the weep hole. A weep hole cover helps prevent insects from entering below the sill.

Tough Steel Door Skin

Durable 24 gauge steel skin resists warping, swelling or twisting like conventional wood doors. Hot-dipped galvanized steel assures long term protection and an excellent base for finishing.

Solid Wood Lock Block Each door is equipped with a solid wood lock block to ensure permanent attachment of security hardware.

Fibreglass Door Skin

Durable and easy to finish. Available in both smooth skin for painting and wood-grain texture for staining. Dent and warp resistant.

Polyurethane Foam Core

The insulation value is at least six times greater than a solid wood door. With an R value of 12 it is the perfect solution for your home.

Sweepless Door

By eliminating the need for a door sweep there is no sweep to tear or adjust.

Vinyl Subsill The durable 3/32" vinyl

subsill resists rotting and cracking. The continuous sill running under the jambs prevents jamb rot.



TABLE OF CONTENTS

Privacy Guide		4-5	Manhattan	Patina	34
Specifications		6-7	Everton	Patina and Zinc	35
Design Guide		8-11	Lexington	Patina	36-37
N ^{EW} Winslow	Patina and Zinc	12	Royston	Patiina	38
NEW Pemberton	Wrought Iron	13	Niagara	Brass, Patina and Zinc	39
N ^{EW} Lonsdale	Sandblast	14	Perimeter	Sandblast	40-41
Granville	Patina	15	Verona	Wrought Iron	42
Eastmont	Patina	16-17	Riverton	V-Groove	43
Modena	Patina and Zinc	18-19	Retro Series		44-45
Hollister	Patina	20-21	Solution Series		46-49
Canterbury	Patina	22-23	Internal Blinds	Raise, Lower and Tilt	50-51
Adelaide	Patina	24-25	Venting		52-55
Artisan	Patina	26-27	Clear One Lite	S	56
Harlow	Patina	30-31	Internal Grids		57
Sullivan	Sandblast	32	Mix and Match		58
Waterton	Patina	33			

PRIVACY GUIDE

Trimlite offers an extensive line of designs to choose from and the degree of openness or obscurity varies considerably. To help your decision making process we have photographed each design under controlled circumstances so that you can see the difference. With each picture, we have included a number which represents the 'Privacy Level' for that particular design. This number will be referenced on the individual product page as well. Note: this 'guide' is subjective. It should only be used when comparing Trimlite designs.

B: BRASS WI: WROUGHT IRON P : PATINA Z: ZINC



Clear glass



Eastmont P16 | P





Adelaide P24 | P 8







Artisan P26 | P



Granville P15 | P



Canterbury P22 | P 🔕







COMPLETELY CLEAR Objects can be clearly seen through the glass from the opposite side.

DIFFUSED/DISTORTED Objects are distorted, but can still be detected from the opposite side.

COMPLETELY OPAQUE Only light will travel through from the opposite side.



Modena P18 | P.Z






Niagara P39 | B.P.Z. 7





Waterton P33 | P







Pemberton P13 | WI ᠀





Please Note: Due to ongoing product development Trimlite reserves the right to make changes in design, materials and specifications without notice. Please contact your dealer for more information.

Doorlites featured in either smooth (white), woodgrain (stained), or fir (stained) fiberglass doors. Some exceptions apply.

SPECIFICATIONS

CONSTRUCTION

- Handcrafted, our decorative glass panels stay true to their stained glass roots.
- Our selection of premium art glass and bevels, which makes our designs come to life, are hand cut and fitted. Careful consideration is given to choosing textures, complementing elements are crucial to a design's given appeal.
- Using solid metals, where all of the joints are soldered by hand, ensures the panels will be strong enough to withstand daily use.
- Once assembled, the panel undergoes a thorough cleaning and inspection process. This attention to detail is our assurance of quality to you.

GLASS VARIATION

Decorative pattern glass is handmade. Through this process, slight imperfections or discolourations are inherent characteristics of all handcrafted glass. Bubbles or seeds, slight surface flaws and subtle variations in textures vary depending on the pattern. Some glass patterns, like Swirl and Drawn, are more likely to have these inclusions. They are not considered defects.



Swirl Glass Detail



Drawn Glass Detail

CAMING OPTIONS

Hand soldered metals in 3 finishes. See individual product pages for availability.



Brass Caming Subtle gloss finish that defines luxury and style.



Patina Caming Black satin finish offers a rustic or antique look to your home.




Zinc Caming Brushed chrome appearance brings a contemporary look to your entrance.

INSULATING SYSTEM

All Trimlite Decorative Doorlites are made with Super Spacer[®] Cushion Edge[™], a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicone Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your piece of mind
- Low E* with Argon Gas for your comfort



Pressure sensitive acrylic adhesive

All Trimlite Doorlites are certified by the National Accreditation and Management Institute, Inc. (NAMI).

All Trimlite products are energy tested. Consult your dealer for specific energy ratings.

Warranties: Our products are covered by separate limited warranties. Please contact your dealer for more information.

SuperSpacer®, TrueWarm[®] and Cushion Edge[™] are all registered trademarks of QUANNEX BUILDING PRODUCTS.

*Our doorlites are available with Low E and Argon. However, some exceptions may apply. Contact your dealer for more details.

DESIGN IDEAS | MODERN FARMHOUSE



A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite door and glass options that intelligently mix modern and traditional.



SMO24 with 2248 Eastmont

FIR03 with 2215 Adelaide

SMO00 with 2264 Sable

DESIGN IDEAS | CONTEMPORARY

CONTEMPORARY

Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



SMO00 with 2203 6-Lite Solution Series Sandblast



SMO00 with 0806 5-Lite Sandblast



SMO00 with 2264 Granville



OAK40 with 2264 Perimeter

DESIGN IDEAS | CRAFTSMAN



Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and glass options that give you the beautiful detailing a craftsman home requires.



SMO22 with 2236 Artisan



OAK24 with 2248 Royston



SMO00 with 2264 Manhattan



OAK40 with 2208 Waterton



SMO03 with 2215 Harlow

DESIGN IDEAS | TRADITIONAL



Traditional homes are comforting and classic. Their interiors are calm, orderly and familiar. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.



SMO24 with 1842OV Everton



OAK24 with 2248 Riverton



SMO40 with 2236 Niagara




OAK24 with 2248 Everton



SMO00 with 2264 Canterbury DOORLITES | TRIMLITE 11


Winslow







0848 / 2248 / 0848 Zinc



0836 / 2236 / 0836 Patina



0764 / 2264 / 0764 with Custom Transom Zinc

12 TRIMLITE | DOORLITES

Shown in Patina

Pemberton






0764 / 2215 / 0764



0764 / 2264 / 0764 with Custom Transom









Lonsdale








2264

Sandblast (Surface #3) Sandblast (Surface #5) Sandblast

Lonsdale	2236*	2248	2264				
Sandblast							
NOTE: Custom transom and sidelites not available for this design. We recommend 100% Sandblast as an option.							
*Available with Solution Series frame.							



14 TRIMLITE | DOORLITES


Privacy Guide. See pages 4 and 5.

Granville







0836 / 2236 / 0836



0764 / 2215 / 0764 with Custom Transom







• Privacy Guide. See pages 4 and 5.



Eastmont	0836*	2236*	0848	2248	0764*	2264	2215*	2208*
Patina								

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame. Glass size: O848 / 2248 / O848 Door: Fiberglass SMO24 Sidelite: Fiberglass SMO24

Eastmont






0764 / 2264 / 0764 with Custom Transom





2264 (8ft entry)



Patina

Modena




NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.

Glass size: O764 / 2264 Zinc Door: Fiberglass SMOOO Sidelite: Fiberglass SMOOO

Modena










2264 / 0764 Patina



O848 / 2248 / O848 with Custom Transom Zinc



0764 / 2215 / 0764 Patina





Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.




• Privacy Guide. See pages 4 and 5.

Hollister




Hollister



O848 / 2248 / O848 with Custom Transom





Kasumi

- 3/16" Caming
- Clear Bevels Black

Patina



Privacy Guide. See pages 4 and 5.

Rain

Canterbury

Canterbury 0836* 2236* 0848 2248 0764* 2264 1842OV 2210C Patina -

Glass size: 0764 / 2264 / 0764 with CustomTransom Door: Fiberglass OAK40 Sidelite: Fiberglass OAK00

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.







0836 / 2236 / 0836

2210C

0848 / 2248 / 0848



3/16" Caming Mica Lava Bevels Clear Ripple Patina



Privacy Guide. See pages 4 and 5.

0764 / 1842OV / 0764

Adelaide



NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.

Adelaide



0836 / 2236 / 0836



2515 / 0764




0848 / 2248 / 0848





0764 / 2264 / 0764 with Custom Transom



PRIVACY


Privacy Guide. See pages 4 and 5.

Artisan














2515 / 0764



O848 / 2248 / O848 with Custom Transom



0880 / 2280 / 0880 (8ft entry)







▲ Glass: Sandblast 22O3 (x6) Door: SMOOO Sidelites: Direct Set Sandblast












0764 / 2515 / 0764



0764 / 2264 / 0764 with Custom Transom



2248 / 2248



Privacy Guide. See pages 4 and 5.

Harlow



DOORLITES | TRIMLITE 3

Sullivan



Sandblast	-		-	•	-	-	-
NOTE: Custom dealer for mor							al
		•	— San	dblast			
		•	3/4"	' Clear			
			PRI	VAC	Y C		
andblast			Privc	acy Guide	e. See pag	ges 4 an	d 5.



0836 / 2236 / 0836





0764 / 2064 / 0764 with Custom Transom

Waterton



0848 / 2248 / 0848



0836 / 2236 / 0836



0764 / 2208 / 0764




Waterton	0836*	2236*	0848	2248	0764*	2264	2208*
Patina	-	-		-			

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.




• Privacy Guide. See pages 4 and 5.

[†] Swirl glass often contains small bubbles/surface imperfections. They are not considered defects. See page 6 for more information.



Manhattan





0848 / 2248 / 0848




0836 / 2236 / 0836 with Custom Transom



Privacy Guide. See pages 4 and 5.



2210C



0764 / 2264 / 0764

2215

Everton



Lexington



Lexington










2215



0836 / 2236 / 0836





0764 / 2515 / 0764 with Custom Transom

[†] Drawn glass often contains surface imperfections. They are not considered defects. See page 6 for more information.



• Privacy Guide. See pages 4 and 5.

Royston







 0836 / 2236
 2215



A straing

PRIVACY

Privacy Guide. See pages 4 and 5.

Royston	0836*	2236*	0848	2248	0764*	2264	2208*	2215*	2515
Patina			-		-			-	

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.

Niagara






0764 / 1842OV / 0764 with Custom Transom Zinc





0836 / 2236 Brass



Shown in Patina

Niagara	0836*	2236*	0848	2248	0764*	1842OV	2210SB
Brass							
Patina					-	-	-
Zinc							

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.



• Privacy Guide. See pages 4 and 5.

Perimeter



Glass Size: 2264 Door: Fiberglass SMOOO (shown with custom transom and sidelite)

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information. *Available with Solution Series frame.









0848 / 2248 / 0848



0836 / 2236



0764 / 2515






0880 / 2280 / 0880 (8ft entry)

3/4" Clear Glass Edge (Note: May vary depending on frame choice.)


Sandblast



PRIVACY (8)

Sandblast

Verona



Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.

3/8" Round Bar Sandblast







• Privacy Guide. See pages 4 and 5.

2264 / 0764




2248 / 2248 with Custom Transom

Verona	0848	2248	0764	2264
Wrought Iron	-		-	

NOTE: Custom transom and sidelites are available. Contact your local dealer for more information.

Riverton

Glass size: O764 / 2515 / O764 Door: Fiberglass DRG6C w/ Dentil shelf Sidelite: Fiberglass OAKOO





Riverton 0836* 2236* 0848 2248 0764* 2064 2264 2215* 2515 V-Groove NOTE: Custom transom and sidelites are not available for this design. *Available with Solution Series frame.

Retro Series

BALANCING PRIVACY AND DESIGN

Retro is defined as remaking the past. Our Retro Series is an extension of our 1-Lite French Doors that have been remade specifically for our Exterior Doors. We selected our glass designs that balance privacy and design, as we believe your doorlite should always be elegant and safe.

٢

Our glass designs pair perfectly with our standard frame options. And, like decorative designs, these come standard with Low-E and Argon for additional energy efficiency. Although these products may seem new, they are remade for you.

Glass: 2264 Cho<mark>rds</mark> Door: Fiberglass <mark>SMOOO</mark>

Retro Series - Size & Glass Options

DOORLITE SIZES





2236







2208





2064/2264





2515



2217 (x3)

GLASS OPTIONS



Rain 🧐

Sandblast 9

Solution Series



AT THE INTERSECTION OF FORM AND FUNCTION

Thoughtful, clean lines, simple design, and peace of mind. These guiding principles inspired us to create the Solution Series. Offering a selection of glass textures in sizes that allow your door to be the star.

A perfect complement to the glass is our Solutions Frame. Our unique design eliminates any screw holes, so you don't have to worry about gaps or screw plugs. Our patented* technology uses a compression seal and interlocking joints to adhere to your door, creating a powerful bond. The frame is built to resist warping and melting in high heat areas so it can be used with any color finish. Our textured frame comes in two colors to match any stain or paint.

Glass Size: 2208 Rain (x5) Door: SMOOO

*US Patent Number 9, 617, 779

Solution Series - Door Design Options



PATENTED FRAME DESIGN



PRODUCT FEATURES

- Available in white or tan
- Shaker style low profile
- No screws, plugs, or holes
- Textured vertical grain pattern
- Patented frame system
- Connects modern, craftsman, or mid-century architectural styles
- Available in 10 sizes -- 0764, 0806, 0808, 0836, 2203, 2208, 2210, 2215, 2217 and 2236. 2215 size also available with 3-Lite and 6-Lite SDL Bars.

FRAME DETAIL Side Profile



Front Profile



Solution Series - Size and Glass Options

Select from one of our designs, or create your own. (Doors shown are 6/8 in height.)



Note: Design layouts for 8/0 doors available. Contact your dealer for more information. *External bars.

GLASS OPTIONS





Chords 8



Sable 🔞



Mistlite 3

Sandblast 🧕





Internal Blinds Between Glass

Glass size: 2280 / 2280 Door: Fiberglass SMOOO (8ft entry)

Internal Blinds Between Glass

MAINLITES









2236

2248

2064 or 2264


2080 or 2280 (8ft)

SIDELITE






- Blinds between glass require no dusting
- No exposed cords
- One control system provides raise/lower AND • tilt options in one easy operator design
- 12.5mm white slats



Venting Doorlites







2248 2064 Note: "EZ" Vent only available in sizes shown.

Venting Doorlites "EZ" Lift

Our EZ Lift vent incorporates a spring assist, making it very easy to operate. No more bending down. Simply unlock, and adjust.

- All precision injection molded parts
- Spring assist for easy operation
- Maintenance free
- Cam lock for your piece of mind
- Removable screen
- Full half vent for maximum air flow




Locking Latch



Window Handle for Easy Operation

Venting Doorlites

HALF VENT



2036 or 2236 Clear

П





2236* Rain

- All precision injection molded parts
- Ergonomic handle design combines functionality with a modern look
- Reinforced latch system allows for travel free operation
- Removable screen
- *Note: Contact your dealer for a complete list of grid and glass options available in your area.



VENTING EXTENSIONS

9

Now you take our standard half vent and make it into a full view insert by adding our unique Venting Extension.



- Extensions interlocks with our 2236 creating a full view doorlite
- Venting in middle of door allows for easier operation
- No more damaged screens from pets

54 TRIMLITE | DOORLITES

Venting Doorlite - Options



We now offer our venting products with a twist...Black exterior and White interior! Our exterior components are not painted. All parts are moulded using 100% black material, ensuring durabitliy and performance. Now you can create a more dramatic look, without compromise.



Outside



Inside



2064*/2264*

*Featuring "EZ" Lift





2236

Standard Doorlite - One Lites









2210SB







2264






Want privacy in your doorlite... Consider these obscure glass options NOTE: Obscure options are special order. Please contact your dealer for more information.





Pinhead (P516) 9





Rain 9

2236 One Lite




Standard Doorlite - Internal Grids





2236 9L





2215 3L

PRAIRIE





2215 6L

2236 9L

2236 9L



2248 12L

0764 5L

2064 15L







2248 12L White Internal Grid


welcome



2264 9L



0836 6L





Flat Bar White

INCOMERCIALS TO A NUMBER STANDARD

Need more performance in your doorlite... Consider Cardinal LoE²-272 Glass

Available in the clear and white internal grid options, the insulating value of Cardinal's $Lo \bar{E}^2$ -272


patented coating is nearly double that of an ordinary insulated glass unit. In winter, LoE²-272 reflects heat back into the room. In summer, it rejects the sun's heat and damaging UV rays. The coating is virtually invisible to the eye yet blocks 84% of the sun's harmful ultraviolet rays. In fact, LoE²-272 is the clearest, highest performing glass you can buy.

Some items are special order. For a complete list of sizes, glass and grid options available in your area, contact your dealer for more information.

SPECIAL ORDER GRIDS

Additional grid options available in various colours, sizes and patterns, contact your dealer for more information.





Design your entrance using the following suggestions as your guide. Contact your dealer for more information.

Indicates an 8-foot High Entrance

OV: Oval SB: Sunburst Top C: Camber Top

PERFORMANCE YOU CAN COUNT ON





					ENERGY STAR®
	l/4 Lite U/SHGC/ER	l/2 Lite U/SHGC/ER	3/4 Lite U/SHGC/ER	Full Lite U/SHGC/ER	Canada 1/4 / 1/2 / 3/4 / Full
Polardor Single/Double without Grills Dual Glazed Standard Low E	0.17/0.10/24	0.20/0.18/24	0.22/0.24/26	0.23/0.21/22	YES / YES / NO / NO
Polardor Single/Double with Grills Dual Glazed Standard Low E	0.17/0.09/23	0.20/0.16/23	0.22/0.21/24	0.23/0.19/21	YES / YES / NO / NO
Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.04/21	0.18/0.07/21	0.19/0.09/21	0.20/0.12/21	YES / YES / YES / YES
Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.04/21	0.18/0.06/20	0.19/0.08/20	0.20/0.11/20	YES / YES / YES / YES
Polardor Single/Double with Decorative Lite Triple Glazed Clear (leaded)	0.17/0.08/22	0.19/0.14/23	0.20/0.19/25	0.22/0.25/26	YES / YES / YES / NO
Polardor Single/Double No Glazing	0.14/0.01/22	N/A	N/A	N/A	YES / N/A / N/A / N/A
Polardor Single/Double without Grills Dual Glazed Standard Low E	0.19/0.10/21	0.22/0.18/22	0.24/0.24/23	0.25/0.21/20	YES / NO / NO / NO
Polardor Single/Double with Grills Dual Glazed Standard Low E	0.19/0.09/21	0.22/0.16/21	0.24/0.21/21	0.25/0.19/19	YES / NO / NO / NO
Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.04/19	0.19/0.07/19	0.21/0.09/18	0.22/0.12/19	YES / YES / YES / NO
Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.04/19	0.19/0.06/19	0.21/0.08/18	0.22/0.11/18	YES / YES / YES / NO
Polardor Single/Double with Decorative Lite Triple Glazed Clear (leaded)	0.18/0.08/21	0.21/0.14/21	0.22/0.19/23	0.24/0.25/24	YES / YES / NO / NO
Polardor Single/Double No Glazing	0.15/0.01/21	N/A	N/A	N/A	YES / N/A / N/A / N/A

U – U-Factor: SHGC – Solar Heat Gain Coefficient. ER – Energy Rating.

The door performance data shown is for reference only and is limited. The actual rating can vary depending on options chosen. Confirm ratings for specific products with your Pollard sales representative. Pollard Windows Inc. upholds a continuous product development process and reserves the right to make improvements and/or changes to designs, materials and specifications without notice.




QUALIFICATION CRITERIA FOR RESIDENTIAL DOORS

Maximum U-Factor (W/m²·K)	1.22
Maximum U-Factor (Btu/h·ft²°F)	0.21
Minimum ER (unitless)	34
ENERGY STAR is administered in Canada by Natural Resources Canada.	

*Please visit our website at www.pollardwindows.com for the latest ENERGY STAR® information.

All of our products are designed in our own in-house Research and Development department. Product prototypes are developed and modified as they go through a vigorous testing regime in our own testing machines. Once the product meets our tough standards, products are then sent out for independent testing. We are continuously looking at ways to improve the quality of our products for our customers.

CHOOSE FROM A LARGE SELECTION OF DOOR STYLES



Door Slab Designs – Smooth Steel, Smooth Fibreglass or Textured Fibreglass

DOOR AND SIDELITE SIZING

LIBERTY DOOR SYSTEMS - VINYL CLAD WOOD FRAME


Liberty Doors with Advantage or Liberty Sidelites

	32	2" DOOR							
	RS	60	3411/16	447/32	48 ⁵ /32	51 ¹ /2	53 ³ /4	615/8	68 ⁵ /16
		OSM	3315/16	43 15/32	47 3/32	50 ³ /4	53	60 ⁷ /8	679/16
05		82 ^{15/32}							
8ft. High	997/32	9815/32	Single	+LSL/ASL1080 +LSL/ASL1096	+LSL/ASL1480 +LSL/ASL1496		+2 LSL/ASL1080 +2 LSL/ASL1096	+2 LSL/ASL1480 +2 LSL/ASL1496	+2 LSL/ASL1680 +2 LSL/ASL1696*

34" DOOR

RSO	3611/16	467/32	50 ⁵ /32	53 ¹ /2	55 ³ /4	63 ⁵ /8	70 ⁵ /16
OSM	3515/16	4515/32	49 3/32	52 ³ /4	55	62 ⁷ /8	69 ⁹ /16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*
36" DOOF	k in the second s						
RSO	3811/16	487/32	52 ⁵ /32	551/2	57 ³ /4	65 ⁵ /8	72 ⁵ /16
OSM	3715/16	4715/32	5113/32	54 ³ /4	57	647/8	719/16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696#
42" DOOF	3						
RSO	4411/16	547/32	58 ⁵ /32	611/2	63 ³ /4	715/8	78 ⁵ /16
OSM	4315/16	5315/32	5713/32	603/4	63	70 ⁷ /8	779/16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696#

Liberty Double Doors/Terrace Doors with Advantage or Liberty Sidelites



997 997 9815 Double/Terrace +2 ASL 1096 +2 ASL 1496 +2 ASL 1696 * 34" DOOR RSO 71⁵/8 9011/16 98⁹/16 1051/4 8915/16 9713/16 оѕм 707/8 1041/2 Standard Double/Terrad +2 ASL 1080 +2 ASL 1480 +2 ASL 1680 Double/Terrace +2 ASL 1096 +2 ASL 1496 +2 ASL 1696 * 8ft. High 24" DOOD

30 000	1 C				
RSO	75 ⁵ /8	9411/16	1029/16	1091/4	
OSM	74 ⁷ /8	93 ¹⁵ /16	10113/16	1081/2	
Standard	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680	
8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *	

Leaded transoms can be custom ordered to match your door and sidelites. Ask your Pollard Windows Sales Representative for more information.




ULTRAPRIME DOOR SYSTEMS – WOOD FRAME

Ultraprime Doors with Sidelites

	32	" DOOR							
	RS	50	34 ¹ /16	4215/16	4615/16	49 ³ /32	5113/16	59 ³ /16	641/8
		OSM	33 ⁵ /16	42 ³ /16	46 ³ /16	4811/32	511/16	59 ¹ /16	63 ³ /8
Stand		82 ^{5/32}							
8ft. High	98 ^{29/32}	985/32	Single Single	USL 1080 USL 1096	USL 1480 USL 1496	USL 1680 USL 1696*	+2 USL 1080 +2 USL1096	+2 USL 1480 +2 USL 1496	+2 USL 1680 +2 USL 1696 *

34" DOOR							
RSO	36 /16	4415/16	4815/16	51 ³ /32	53 ¹³ /16	6113/16	66 ¹ /8
OSM	355/16	443/16	483/16	5011/32	531/16	611/16	65 ³ /8
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 696 *	+2 USL 1096	+2 USL 1496	+2 USL 1696 *
36" DOOR							
RSO	38 /16	4615/16	50 ¹⁵ /16	53 ³ /32	55 ¹³ /16	6313/16	681/8
OSM	37 ⁵ /16	463/16	50 ³ /16	5211/32	55 ¹ /16	631/16	67 ³ /8
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 1696 *	+2 USL 1096	+2 USL 1496	+2 USL 1696 🛊

Ultraprime Double Doors



34" DOOR					
RSO	71	88 ³ /4	96 ³ /4	101 ¹ /16	
OSM	701/4	88	96	100 ⁵ /16	
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680	
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *	
36" DOOR					
RSO	75	92 ³ /4	1003/4	1051/16	
OSM	741/4	92	100	1045/16	
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680	
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *	

* 8ft. high doors and side lites are not available in every design. Consult with your Pollard Sales Representative for availability and sizing.

Liberty Masonry Opening Width - add ½" to OSM Height - add ¼" to OSM

Ultraprime Masonry Opening Width - add 2³/4" to OSM Height - add 1³/6" to OSM

When ordering doors, note: Hinging of door is always determined as viewed from outside.



LEFT

DOOR OPTIONS

Brickmould

Vinyl brickmould is available as an option for Vinyl Clad doors. It is available in four standard colours Silversand, Pearl White, Autumn Ivory and Sable to coordinate with your choice of windows.

Sill Protector

Optional sill protector is available to shield door sills during construction. Constructed of 1/16" vinyl, the protector snaps on tightly to prevent dents and scratches that may occur on the job site.

Executive Panels For a more dramatic look add executive panels to your Steel Door System.The panels accentuate the embossing on the door.

Black Sill Optional black sill and matching weatherstrip can compliment darker door finishes.



Hinges

All door systems come standard with durable galvanized zinc hinges. Optional brass hinges are available to match other brass accents in your home. Self closing hinges are also available.

Multipoint Hardware

Fibreglass doors are available with multipoint hardware. Offered in antique brass, polished brass, oil rubbed bronze and satin nickel for any decor.

Vinyl Clad Exterior Colours

Available in four standard colours Silversand, Pearl White, Autumn Ivory and Sable to coordinate with your choice of windows. Or choose from a variety of custom colours.

SED EXECUTIVE PANEL DESIGN HARDW Bronze Textured Smooth Brickmould **NDARD HINGES** DRILI Bronze MATERIAL losing Hii Jergy ass 250 VIEWER Sore POINT Rubbed B ned Br <u>e</u> Clad ass SS ane eq 2 Product Type Single Door • . • • • . • • . Double Door • • • • • Terrace Door (double door & screen) • . . . • • • • • • • • • • • • .

Standard Grills are 5/8° Aluminum between the glass. * Vinyl brickmould available on vinyl frames only. Paintgrade wood frames come standard with 1 1/8° wood brickmould ** Includes handle set & hinges. Only available on fibreglass doors.

COMBINE BEAUTY, FUNCTION AND SECURITY WITH THESE SPECIALTY DOORS



At Pollard, we have many versatile door types to meet all your needs. Terrace Doors are a terrific choice for patios, decks, porches or walkouts. Sliding patio doors are great for efficient use of space and are available in either all vinyl or vinyl clad wood. FrenchClad Doors always add beauty and warmth of natural wood to any home interior.



HEAD OFFICE

1217 King Road, P.O. Box 507 Burlington, ON L7R 3Y3 Canada Tel: (905) 634-2365 1(800) 263-6616 Fax: (905) 333-3521


DISPLAY CENTERS

Burlington

1217 King Road Burlington, ON L7R 3Y3 Tel: (905) 633-7444 Fax: (905) 633-7666

Toronto

3200 Dufferin Street Toronto, ON M6A 3B2 Tel: (416) 696-6716 Fax: (416) 696-6718



POLLARDWINDOWS.COM



Pollard's industry leading warranty

Our commitment to our customers extends to our warranty, considered to be among the best in the business. We offer a solid manufacturer's warranty on parts, a non-prorated warranty on insulated glass units and a non-prorated warranty on all vinyl components. By concentrating on being the best - rather than the biggest -Pollard Windows has earned a reputation for superior quality and durability. Of all our accomplishments, our greatest satisfaction is the loyalty shown to us by many long standing customers. For more information on our warranties please log on to www.pollardwindows.com or contact your Pollard dealer.